



Elektrobit

Product licensing user's guide

version 1.2.2



Elektrobit Automotive GmbH
Am Wolfsmantel 46
91058 Erlangen, Germany
Phone: +49 9131 7701 0
Fax: +49 9131 7701 6333
Email: info.automotive@elektrobit.com

Technical support

Europe

Phone: +49 9131 7701 6060

Japan

Phone: +81 3 5577 6110

USA

Phone: +1 888 346 3813

Support URL

[http://automotive.elektrobit.com/
support](http://automotive.elektrobit.com/support)

Legal notice

Confidential and proprietary information

ALL RIGHTS RESERVED. No part of this publication may be copied in any form, by photocopy, microfilm, retrieval system, or by any other means now known or hereafter invented without the prior written permission of Elektrobit Automotive GmbH.

ProOSEK[®], tresos[®], and street director[®] are registered trademarks of Elektrobit Automotive GmbH.

All brand names, trademarks and registered trademarks are property of their rightful owners and are used only for description.

Copyright 2015, Elektrobit Automotive GmbH.

Table of Contents

Modification history	6
1. About this documentation	7
1.1. Typography and style conventions	7
2. Overview	9
2.1. Target groups	9
2.2. Licensing deliverables	9
2.2.1. Single user or evaluation license	9
2.2.2. Floating license	9
2.2.3. Dongled license	10
2.3. License activation	10
3. Using the EB licensing portal	12
3.1. Overview	12
3.1.1. Login to the EB licensing portal	12
3.1.2. Password lost	13
3.2. Profile administration	14
3.3. Account administration	14
3.3.1. Managing allocation accounts	15
3.3.1.1. Creating an allocation account	16
3.3.1.2. Adding an allocation account	17
3.3.1.3. Adding allocation account members	18
3.3.1.4. Assigning permissions to account members	18
3.3.1.5. Switching to an allocation account	19
3.3.1.6. Verifying a transferred order	20
3.4. License administration	21
3.4.1. Searching licenses	21
3.4.2. Accessing your licenses	22
3.4.3. Transferring licenses to an allocation account	24
3.4.4. Splitting licenses between allocation accounts	26
3.4.5. Upgrading a license to a new release	28
3.4.5.1. Upgrading a file-based license to a new release	28
3.4.5.2. Upgrading an activation-based license to a new release	29
4. The licensing project on EB Command	31
4.1. FlexNet Operations On Cloud licensing project	31
5. Single user or evaluation licenses	32
5.1. Activating single user or evaluation licenses	32
5.1.1. Installing the EB Client License Administrator tool	33
5.1.2. Activating a single user or evaluation license online	34
5.1.3. Activating a single user or evaluation license offline	35
6. Floating licenses	37

6.1. Activating floating licenses	37
6.1.1. Activating floating licenses on a server machine	37
6.1.1.1. Installing the EB Server License Administrator tool	38
6.1.1.2. Activating a floating license online	39
6.1.1.3. Activating a floating license offline	40
6.1.2. Using floating licenses on a client machine	41
6.1.3. Manual setup	42
7. Dongled licenses	43
7.1. Using dongled licenses	43
7.1.1. Installing the dongle driver	43
7.1.2. Generating license files	44
7.1.3. Retrieving dongle serial number and customer ID	45
7.1.4. Downloading license files from the License Information page	46
7.1.5. Downloading license files from the Order History page	47
8. Partner licenses for EB tresos Studio	48
8.1. Overview	48
8.2. Background information	48
8.2.1. Restrictions for partner licenses	48
8.2.2. Restrictions for partner customers	48
8.3. Using partner licenses	49
8.3.1. Using a partner license as a partner	49
8.3.2. Using a partner license as a partner customer	49
8.4. Retrieving the provider-ID	50
8.5. Use of the signature tool	51
8.6. Software redistribution	52
9. Legacy licenses	53
9.1. Overview	53
9.2. Background information	53
9.2.1. Legacy dongled licenses	53
9.2.2. Legacy floating licenses	53
9.3. Accessing your legacy licenses	54
9.3.1. Accessing legacy floating licenses	54
9.3.2. Accessing legacy dongled licenses	56
10. License server configuration	57
10.1. Overview	57
10.2. Background information	57
10.2.1. EB vendor daemon	57
10.3. Transferring floating licenses from Imgrd to Imadmin	58
10.4. Logging in to the license server	58
10.5. Importing a license file	59
10.6. Verifying the license file import	61
10.7. Configuring the EB vendor daemon	63



10.8. Verifying the EB vendor daemon	64
10.9. Verifying your licenses	66

Modification history

Version	Description
1.2.2	Added legacy license chapter, updated content
1.1.0	Fixed error with floating license
1.0.0	Initial version






1. About this documentation


1.1. Typography and style conventions

Throughout the documentation you see that words and phrases are displayed in bold or italic font, or in Mono-space font. To find out what these conventions mean, consult the following table. All default text is written in Arial Regular font without any markup.

Convention	Item is used	Example
Arial italics	to define new terms	The <i>basic building blocks</i> of a configuration are module configurations.
Arial italics	to emphasize	If your project's release version is mixed, all content types are available. It is thus called <i>mixed version</i> .
Arial italics	is used for pop-up windows names	The Bulk Change editor enables you to change data in bulk.
Arial italics	to indicate that a term is explained in the glossary	...exchanges <i>protocol data units (PDUs)</i> with its peer instance of other ECUs.
Arial boldface	for menus and submenus	Choose the Options menu.
Arial boldface	for buttons	Select OK .
Arial boldface	for keyboard keys	Press the Enter key
Arial boldface	for keyboard combination of keys	Press Ctrl+Alt+Delete
Arial boldface	for commands	Convert the XDM file to the newer version by using the legacy convert command.
Monospaced font (Courier)	for file and folder names, also for chapter names	Put your script in the <code>function_name\abc-folder</code>
Monospaced font (Courier)	for code	<code>CC_FILES_TO_BUILD = (PROJECT_PATH)\source\network\can_node.c</code> <code>CC_FILES_TO_BUILD += \$(PROJECT_PATH)\source\network\can_config.c</code>
Monospaced font (Courier)	for function names, methods, or routines	The <code>cos</code> function finds the cosine of each array element. Syntax line example is <code>MLGetVar ML_var_name</code>
Monospaced font (Courier)	for user input/indicates variable text	Enter a <code>three-digit</code> prefix in the menu line.



Convention	Item is used	Example
Square brackets []	denote optional parameters; for command syntax with optional parameters	<code>insertBefore [<opt>]</code>
Curly brackets { }	denote mandatory parameters; for command syntax with mandatory parameters (in curly brackets)	<code>insertBefore {<file>}</code>
Three dots ...	indicate further parameters; for command syntax, indicates further parameters	<code>insertBefore [<opt>...]</code>
A vertical bar	to separate parameters in a list from which one parameters must be chosen or used; for command syntax, indicates a choice of parameters	<code>allowinvalidmarkup {on off}</code>
Warning	to show information vital for the success of your configuration	WARNING  This is a warning This is what a warning looks like.
Note	to give additional important information on the subject	NOTE  This is a note This is what a note looks like.
Tip	to provide helpful hints and tips	TIP  This is a tip This is what a tip looks like.



This is a step-by-step instruction

Whenever you see the bar with step traces, you are looking at step-by-step instructions or how-tos.

Prerequisite:

- This line lists the prerequisites to the instructions.

Step 1

An instruction to complete the task.

Step 2

An instruction to complete the task.

2. Overview

Welcome to the licensing administration documentation. This document describes the steps which are required to activate a license with a FlexNet Operations On Cloud (FNOC) activation code as well as the configuration steps required to use a file-based license in combination with a dongle.

2.1. Target groups

The Product licensing user's guide provides information for users who want to use a product license of Elektrobit Automotive GmbH. The target group includes both first time users and experienced users of EB products.

The [chapter 10, "License server configuration"](#) is aimed at network administrators and server administrators. It provides information on how to install a floating network license server.

2.2. Licensing deliverables

Depending on the article you have ordered, you receive one of the following licensing bundles:

2.2.1. Single user or evaluation license

- ▶ Login credentials to the EB licensing portal via email notification
- ▶ Single user license activation code via email notification and via EB licensing portal
- ▶ EB Client License Administrator tool via EB Command delivery

For information about the setup of single user or evaluation licenses, see [chapter 5, "Single user or evaluation licenses"](#).

2.2.2. Floating license

- ▶ Login credentials to the EB licensing portal via email notification
- ▶ Floating license activation code via email notification and via EB licensing portal

- ▶ EB Server License Administrator tool including the EB vendor daemon via EB Command delivery
- ▶ FlexNet Publisher lmadm license server installer via EB Command delivery
- ▶ `EB_FLOATING_SERVER.lic` license file to configure the EB vendor daemon via EB Command delivery

For information about the setup of floating licenses, see [chapter 6, “Floating licenses”](#).

2.2.3. Dongled license

- ▶ Login credentials to the EB licensing portal via email notification
- ▶ Only for legacy licenses: license file (for more information, see [chapter 9, “Legacy licenses”](#)) via EB licensing portal
- ▶ Hardware dongle
- ▶ Dongle serial number (HostID) via dongle driver, which can be identified by the dongle driver user interface
- ▶ Dongle driver via EB Command delivery

For information about setting up dongled licenses, see [chapter 7, “Dongled licenses”](#).

2.3. License activation

This section provides information on license activation.

- ▶ The license administrator tools communicate with the FlexNet Operations On Cloud license server and transfer a license from the FlexNet Operations On Cloud license server to your server or client machine.
- ▶ Activation-based licenses are managed by the FlexNet Operations On Cloud service.
- ▶ A license is stored in a secured file on the customer's machine. This so called *trusted storage* is protected against several manipulation attempts such as rollback of the machine's clock, backup and restore on different machines, and usage in virtual environments.

Two different license activation tools are provided:

- ▶ EB Server License Administrator
 - ▶ For floating licenses
- ▶ EB Client License Administrator
 - ▶ For single user licenses
 - ▶ For evaluation licenses




Figure 2.1. License Administrator user interface

No.	GUI item	Type	Description
1	Return	button	Click for online return.
2	Activate	button	Click for online activation.
3	Number of Licenses	text box	Enter the number of floating licenses you want to activate. For single-user licenses the number is always 1.
4	Machine ID	section	The host ID is displayed.
5	DNS Name	section	The DNS name is displayed.
6	Status	section	The status of the activation process is displayed.
7	Activation Code	text box	Enter the activation code to activate a license or choose a license from the list of already activated licenses to return the license.
8	Create Return Request ...	button	Click to create an offline return request file.
9	Create Activation Request ...	button	Click to create an offline activation request file.
10	Process Activation ...	button	Click to process offline activation or return response files.

Choose the appropriate activation tool depending on your license model in EB Command. For more information on EB Command, see [chapter 4, “The licensing project on EB Command”](#). For more information on the activation tools, see [chapter 5, “Single user or evaluation licenses”](#) and [chapter 6, “Floating licenses”](#).

3. Using the EB licensing portal

3.1. Overview

Licenses of Elektrobit Automotive GmbH (EB) products are managed by an online software delivery service that helps you manage and stay current with your EB licenses.

The EB licensing portal provides you with the following features:

- ▶ Profile administration, see [section 3.2, "Profile administration"](#)
- ▶ Account administration, see [section 3.3, "Account administration"](#)
- ▶ License administration, see [section 3.4, "License administration"](#)
- ▶ Email notifications when your account or your order is updated

3.1.1. Login to the EB licensing portal

Your login credentials are provided by email. You receive a login-ID which consists of your email address and a token to set your password.

To log in, use your email address as login-ID and your customized password on the EB licensing portal:

- ▶ <https://elektrobit.flexnetoperations.com>

3.1.2. Password lost

If you forgot your password, use the **Password Finder** to request a new password:

- ▶ <https://elektrobit.flexnetoperations.com/control/elkb/password>





Figure 3.1. EB licensing portal login

3.2. Profile administration

On the **Your Profile** page you can perform the following actions:

- ▶ Configure your account member address.
- ▶ Configure your permissions if you have the permission *Admin Privileges*. For more information on permissions, see [section 3.3.1.4, "Assigning permissions to account members"](#).



Your Profile

You can use the **Change Password** feature if you would like a new password.

If you need to change either your email address or company name, please contact **customer service**. For all other changes, edit the fields below and click on 'Submit Membership Info'. Your member profile will be updated immediately.

** Required*

Email Address Company

First Name* Last Name*

Job Title

Phone* Fax

Street 1*

Street 2

Street 3

Street 4

City*

State / Province* Postal Code*

Country*

Account Administration

Get Downloads

Transfer Order/Split Order Line

Move License Host/Device

Figure 3.2. **Your Profile** page

3.3. Account administration

Your customer account is provided by EB. At least one account administration member is set up in your account per default. Additional account members can be added by EB or any other account member with account administrative privileges.

In larger companies, licenses are normally associated to specific departments or subsidiaries. Licenses for partner customers may also be associated to a specific customer account. Use *allocation accounts* for these use cases.

3.3.1. Managing allocation accounts



Managing allocation accounts

Prerequisite:

- The permission **Account Administration** must be activated. For more information, see [section 3.2, “Profile administration”](#).

Step 1

Log in to the EB licensing portal, see [section 3.1.1, “Login to the EB licensing portal”](#).

Step 2

Create an allocation account, see [section 3.3.1.1, “Creating an allocation account”](#).

Step 2.1

Add additional allocation accounts if needed, see [section 3.3.1.2, “Adding an allocation account”](#).

Step 3

Add members to an allocation account, see [section 3.3.1.3, “Adding allocation account members”](#).

Step 4

Assign permissions to allocation account members, see [section 3.3.1.4, “Assigning permissions to account members”](#).

Step 5

Switch to an allocation account, see [section 3.3.1.5, “Switching to an allocation account”](#).

Step 6

Move licenses to an allocation account.

Step 6.1

Transfer licenses to an allocation account, see [section 3.4.3, “Transferring licenses to an allocation account”](#).


Step 6.2

Split licenses between allocation accounts, see [section 3.4.4, “Splitting licenses between allocation accounts”](#).

Step 7

Verify the successful transfer of an order, see [section 3.3.1.6, “Verifying a transferred order”](#).

3.3.1.1. Creating an allocation account



Prerequisite:

- The permission **Account Administration** must be activated. For more information, see [section 3.2, “Profile administration”](#).

Step 1

In the EB licensing portal, browse to **View Groups**.

Step 2

Click **Create New Allocation Account**.




Figure 3.3. The **View Groups** page

Example: In the screenshot below, the main account is *ElektrobitTesting* and two allocation accounts *EB CIS-I* and *EB CIS-T* are already available.

NOTE



Delete an allocation account

If you want to delete an allocation account, contact the [Product Support and Customer Care Team](#).

3.3.1.2. Adding an allocation account



Adding an allocation account

Step 1

Enter an allocation account in the **Name** text box, e.g. *EB CIS-T*.

Step 2

You can also provide a note for the new account in the **Note** text box.

Step 3

Check the **Download** and **Transfer/Split Orders** check boxes. The **Admin** check box is checked by default. Make sure that the **Move HostDevice** check box is unchecked.

Step 4


As an account administrator, you are included automatically as a member in the newly created allocation account.

Step 5

Click **Add Allocation Account** to create the new allocation account.

Figure 3.4. The **Add Allocation Account** page

3.3.1.3. Adding allocation account members



Step 1

Check that you are already included in the new allocation account as administrator.

Step 2

Click **Add New Member** to add account members and set the intended permissions.




Figure 3.5. Add an allocation account

NOTE



Transfer of licenses

Each account member that has the permission *Transfer & Split Orders* is able to transfer a license back to the main account.

3.3.1.4. Assigning permissions to account members

You can assign the following permissions to members of your allocation account and to yourself:

- ▶ Admin Privileges: enables to change account settings, see [section 3.3, "Account administration"](#).
- ▶ Download Privileges: enables to download license files, see [section 3.4, "License administration"](#).
- ▶ Transfer & Split Orders: enables to transfer licenses and to split multiple licenses, see [section 3.4, "License administration"](#).
- ▶ Move Host & Device: this permission is not supported.

Assigning permissions to account members

Step 1

In the EB licensing portal, browse to **Account Members** under **Administration**.

Step 2

Select or unselect a check box in the permission column to assign or unassign a permissions from an account member.




Figure 3.6. Account member administration

3.3.1.5. Switching to an allocation account

If you are a member of multiple accounts, you can switch the account, e.g. to verify that an order was transferred successfully.

Switching to an allocation account

Step 1

Click the **Switch Account** button at the top of the EB licensing portal.




Figure 3.7. The **Switch Account** button

Step 2

Select the allocation account you want to verify.




Figure 3.8. Select an allocation account

You are now logged in to the allocation account.

3.3.1.6. Verifying a transferred order



Step 1

Switch to the account with the transferred order. For more information, see [section 3.3.1.5, "Switching to an allocation account"](#).

Step 2

Browse to the order history of the selected allocation account.




Figure 3.9. Order history of the allocation account

Step 3

The previously transferred order is now visible within the allocation account. Only account members of the allocation account can see this license from now on.

Step 4

To see the license, point to the **Actions** button on the right side of the order line and click **License(s)**.

Step 5

If you accidentally assigned a license to the wrong allocation account you can transfer the license back to the main account. Make sure to switch to the correct allocation account before you transfer the license back. For more information on switching accounts, see [section 3.3.1.5, "Switching to an allocation account"](#).



Step 6

Follow the same procedure as used to transfer the license to the allocation account, see [section 3.4.3, “Transferring licenses to an allocation account”](#).

3.4. License administration

On the EB licensing portal you can do the following license-related tasks:

- ▶ Search licenses, see [section 3.4.1, “Searching licenses”](#).
- ▶ Access your licenses, see [section 3.4.2, “Accessing your licenses”](#).
- ▶ Transfer licenses to a different allocation account, see [section 3.4.3, “Transferring licenses to an allocation account”](#).
- ▶ Split licenses between allocation accounts, see [section 3.4.4, “Splitting licenses between allocation accounts”](#).
- ▶ Upgrade a license, see [section 3.4.5, “Upgrading a license to a new release”](#).

3.4.1. Searching licenses

On the **Search Licenses** page you can perform the following actions:

- ▶ Search for your licenses using different search criteria.

To search for a license, use the **Find Licenses** section and click **Search Licenses**.

- ▶ Filter your search results.

To filter your search results, use the option buttons and text boxes in the **Filter By** section.

- ▶ Download all your file-based company licenses in a single ZIP archive.

To download all file-based company licenses, click **Download All Licenses**.




Figure 3.10. Search Licenses page

NOTE



Search function only for associated licenses

Only licenses that are already associated are shown in the search result. Associated licenses are already activated on a specific machine or a license file was generated for a specific dongle. Browse to the affected order to generate your license file or to retrieve your activation codes.

NOTE



Restricted download of multiple licenses

You can download a subset of licenses with the **Download** button at the bottom of the page. However, only licenses which are shown according to your search criterion and have their check box activated are included in the ZIP archive.

Example: If your search criterion has provided 50 results but on the result screen you have configured to show only 25 results on a page, only these 25 results are included in the ZIP archive.

3.4.2. Accessing your licenses



Accessing your related licenses

For information on how to access legacy licenses, see [section 9.3, "Accessing your legacy licenses"](#).

Step 1

Browse to the **Order History** page.

Step 2

Point to the **Actions** button on the right side of the related order line.

Step 3

In the context menu, click **License(s)**.




Figure 3.11. Order History page

Within the order-related license overview page you can do the following:

- ▶ Download individual license files for each dongled license catalog items.

To download an individual file, click **Download** to the right of the dongled license.

- ▶ Retrieve activation codes for single user or floating license catalog items.

Activation codes are shown for single user or floating licenses.

- ▶ Download all selected licenses as a ZIP archive.

To download all selected licenses, click the **Download** button on the bottom of the list.

License Information

Below is the License Information for the Order Line you selected.

Product: ACG7 CAN Stack
Effective Date: Mar 26, 2015
Expiration Date: Jul 15, 2015
Order Number: A215476-LAST TEST Dongle
Order Date: Mar 26, 2015
PO Number: 6041009949
Line Number: 9




Figure 3.12. Download license on the Order History page

NOTE



License files locked to a dongle-ID

If you have ordered dongled licenses, see also [section 7.1.2, "Generating license files"](#) to learn how to generate license files which are locked to a dedicated dongle-ID.

NOTE



ZIP archives do not contain activation codes

Activation codes are not included in the ZIP archive since these codes must be entered into the appropriate license administrator tool. You can find your activation codes also in the automatically created order notification email. You find an email history in **Recent Email Notifications**.

3.4.3. Transferring licenses to an allocation account

You can perform a license transfer only on a whole order. If you want to split a license pool, see [section 3.4.4, "Splitting licenses between allocation accounts"](#).

WARNING



You can only transfer licenses from EB tresos AutoCore Generic 7.3 and higher

If you try to transfer a legacy license, an error occurs. For more information on legacy licenses, see [chapter 9, "Legacy licenses"](#).



Transferring licenses to an allocation account

Prerequisite:

- To perform this task, you need the permission *Transfer & Split Orders*.

Step 1

Browse to the **Order History** page.

Step 2

Point to the **Actions** button on the right side of the affected order line.

Step 3

In the context menu, click **Transfer** to transfer a license to an allocation account.




Figure 3.13. Transfer License

Step 4

Select the target allocation account in the **To Account:** drop-down list box.




Figure 3.14. Select target allocation account

Step 5

Click **Submit** to save your selection.

Step 6

You can verify the transfer in the **Order Detail** view of the **Order History** under **Allocations**.




Figure 3.15. Transfer verification

3.4.4. Splitting licenses between allocation accounts

WARNING



You can only split licenses from EB tresos AutoCore Generic 7.3 and higher
If you try to split legacy licenses, an error occurs. For more information on legacy licenses, see [chapter 9, "Legacy licenses"](#).



Splitting licenses between allocation accounts

Prerequisite:

- To perform this task, you need the permission *Transfer & Split Orders*.

Step 1

Browse to the **Order History** page.

Step 2

Click the appropriate order to show a list of included line items.



Figure 3.16. Select order

Step 3

In the **Order Detail** view, point to the **Actions** button on the right side of a line item.

Step 4

In the context menu, click **Split** to split the license.




Figure 3.17. The **Order detail** view

Step 5

Select the target allocation account in the **To Account:** drop-down list box.

Step 6

Select the number of licenses to transfer in the **Quantity to Allocate:** drop-down list box.

Step 7

Click **Submit** to complete the split and transfer operation.

Split Line Item

Entitlement Number (Key): Test_ASCTOOL_2095 (120092783)
Entitlement Date: 07/24/2015
Purchase Order Number:
Line Number: 1
From Account: ElektrobiTesting

To Account: EB CIS-I

Quantity to Allocate: 2 (5 available)

Submit

Figure 3.18. Split licenses

NOTE



Split licenses only on line-item level

You can only split licenses on line-item level since each line item may have a different number of available licenses.

Step 8

You can verify the license split in the **Order Detail** view of the **Order History** under **Allocations**.

Order Detail

Click on the "Download" link next to the product to download it (only available when applicable).

Order Number: Test_ASCTOOL_2095
Order Date: Jul 24, 2015
PO Number:

Licenses for this Order

Line	Product Description	Manufacturer Part Number	Qty
+	1 EB tresos Studio for ACG7 - change from EB tresos Studio for ACG6	CT_3912_Floating	5
Allocations:			
		ElektrobiTesting	3
		EB CIS-I	2


Figure 3.19. License split overview

3.4.5. Upgrading a license to a new release

When a new release of a specific product is available and you have a valid subscription to that product, you can upgrade your license to the new version. The mechanism to upgrade a license depends on your license type:

- ▶ For file-based licenses, see [section 3.4.5.1, “Upgrading a file-based license to a new release”](#).
- ▶ For activation-based licenses, see [section 3.4.5.2, “Upgrading an activation-based license to a new release”](#).

3.4.5.1. Upgrading a file-based license to a new release



These instructions apply only to file-based licenses using the FlexNet license technology.

Step 1

Browse to the **Order History** page.

Step 2

Point to the **Actions** button on the right side of the affected order line.

Step 3

In the context menu, click **License(s)**.




Figure 3.20. Select a license for upgrade

Step 4

For example, a new *release 11.0* is available in addition to the previous release *10.0*.




Figure 3.21. Upgrade a license

Step 5

Click **Upgrade** to upgrade your license file to the new release.

Step 6

Download your upgraded license file.

3.4.5.2. Upgrading an activation-based license to a new release



Upgrading an activation-based license to a new release

These instructions apply to single user or evaluation licenses on a client machine as well as to floating licenses on a server machine.

Step 1

Run either the EB Client or Server License Administrator tool from the **Start** menu or click the desktop shortcut.

Step 2

Select the product license you want to upgrade or extend.




Figure 3.22. The EB Client License Administrator tool

Step 3

Click **Return** to return the activation-based license from your machine.

Step 4

Click **Activate** to upgrade your license to the new release.

4. The licensing project on EB Command

4.1. FlexNet Operations On Cloud licensing project

Several components are available on the EB Command customer portal:

▶ <https://command.elektrobit.com>

List of components:

- ▶ EB Client License Administrator setup file
- ▶ EB_SERVER_CONFIG_DEMO.lic license file to configure the EB vendor daemon
- ▶ EB Server License Administrator setup file
- ▶ FlexNet Publisher License Administration Guide (fnp_LicAdmin.pdf)
- ▶ Product licensing user's guide (LicensingUsersGuide.pdf)
- ▶ FlexNet License Server setup file for 32-bit (ladmin)
- ▶ FlexNet License Server setup file for 64-bit (ladmin)
- ▶ Sentinel HASP4 dongle driver setup file (FLEXID-9)
- ▶ WibuKey WkRuntime dongle driver setup file (FLEXID-10)

Current project: LICENSING
Current distribution: FNOOC
Current version: 1.2.2-Release-2016-06-03
State:

Download released files:

Filename	MD5	Uploader	Upload time	File size	Actions
EB_Client_License_Administrator_1_2_2_Setup.exe			2016-06-03 05:27:46 pm	9.8MiB	<input type="checkbox"/>
EB_SERVER_CONFIG_DEMO.lic			2016-06-03 05:43:29 pm	257B	<input type="checkbox"/>
EB_Server_License_Administrator_1_2_2_Setup.exe			2016-06-03 05:28:11 pm	9.8MiB	<input type="checkbox"/>
fnp_LicAdmin.pdf			2016-06-03 05:30:40 pm	3.0MiB	<input type="checkbox"/>
LicensingUsersGuide_1_2_2.pdf			2016-06-03 05:46:02 pm	2.5MiB	<input type="checkbox"/>
ladmin-i86_n3-11_14_0_0.exe			2016-06-03 05:57:17 pm	57.7MiB	<input type="checkbox"/>
ladmin-x64_n6-11_14_0_0.exe			2016-06-03 05:58:59 pm	67.9MiB	<input type="checkbox"/>
Sentinel_LDK_Run-time_setup.zip			2016-06-03 05:39:39 pm	14.7MiB	<input type="checkbox"/>
WkRuntime_6.32.exe			2016-06-03 05:35:55 pm	30.5MiB	<input type="checkbox"/>

Download Selection

Figure 4.1. The EB Command licensing project

5. Single user or evaluation licenses

5.1. Activating single user or evaluation licenses

Single user or evaluation licenses are provided via FlexNet Operations On Cloud activation codes. You find the activation code either in the **order notification email** from EB or in **Order History** of the EB licensing customer portal.



Activating single user or evaluation licenses

Prerequisite:

- The EB Client License Administrator tool is downloaded from EB Command and installed. For more information on EB Command, see [chapter 4, “The licensing project on EB Command”](#). For information on how to install the EB Client License Administrator tool, see [section 5.1.1, “Installing the EB Client License Administrator tool”](#).

Step 1

Obtain your activation code from the EB licensing customer portal or from the order notification email. For more information, see [chapter 2, “Overview”](#).

Step 2

Activate your license with the EB Client License Administrator Tool.

For online activation, see [section 5.1.2, “Activating a single user or evaluation license online”](#).

For offline activation, see [section 5.1.3, “Activating a single user or evaluation license offline”](#).

Step 3

Start the application.

5.1.1. Installing the EB Client License Administrator tool



Installing the EB Client License Administrator tool

Prerequisite:

- Download the `EB_Client_License_Administrator_Setup.exe` tool from EB Command:

▶ <https://command.elektrobit.com>

Step 1

Run `EB_Client_License_Administrator_Setup.exe`.

Step 2

Select the destination folder.

Step 3

Optionally create a **Start** menu entry.

Step 4

Optionally create a desktop shortcut.

Step 5

Select the default option **Use License Activation Codes**. For more information, see [chapter 5, "Single user or evaluation licenses"](#).




Figure 5.1. Use activation codes

Step 6

Click **Install** to begin the installation.

5.1.2. Activating a single user or evaluation license online



Activating a single user or evaluation license online

Step 1

Run the EB Client License Administrator tool from the **Start** menu or click the desktop shortcut.

Step 2

Enter an activation code in the **Activation Code** text box.




Figure 5.2. Online client license activation

Step 3

Click **Activate**.

Step 4

Verify the license activation in the **Status** section.

Step 5

Your license is ready to use.

5.1.3. Activating a single user or evaluation license offline



Activating a single user or evaluation license offline

Step 1

Run the EB Client License Administrator tool from the **Start** menu or click the desktop shortcut.

Step 2

Enter an activation code in the **Activation Code** text box.




Figure 5.3. Offline client license activation

Step 3

Click **Create Activation Request ...**.

Step 4

Save the activation request file and move it to a machine with internet access.

Step 5

On the machine with internet access, log in to the EB licensing portal.

Step 6

Browse to **Offline License Handling**.




Figure 5.4. Processing the activation request file

Step 7

Click **Browse...** to load your previously created activation request file.

Step 8

Click **Process** to process your offline license activation request and save the activation response file.

Step 9

Move the activation response file to your client machine where you created the activation request.

Step 10

On your client machine, click **Process Activation ...** to load and process the activation response file.

Step 11

Verify the license activation in the **Status** section.

Step 12

Your license is ready to use.

6. Floating licenses

6.1. Activating floating licenses

Floating licenses are provided via FlexNet Operations On Cloud activation codes. Floating licenses can either be activated on a server machine or on a client machine.

6.1.1. Activating floating licenses on a server machine



Activating floating licenses on a server machine

Prerequisite:

- A lmadm license server is set up and configured. For more information, see [chapter 10, “License server configuration”](#).

Step 1

Obtain your activation code from the EB licensing customer portal or from the order notification email. For more information, see [chapter 3, “Using the EB licensing portal”](#).

Step 2

Activate your license with the EB Server License Administrator Tool.

For online activation, see [section 6.1.1.2, “Activating a floating license online”](#).

For offline activation, see [section 6.1.1.3, “Activating a floating license offline”](#).

6.1.1.1. Installing the EB Server License Administrator tool



Installing the EB Server License Administrator tool

Prerequisite:

- Download the `EB_Server_License_Administrator_Setup.exe` tool from EB Command:

- ▶ <https://command.elektrobit.com>

Step 1

Run `EB_Server_License_Administrator_Setup.exe`.

Step 2

Select the destination folder.

Step 3

Optionally create a **Start** menu entry.

Step 4

Optionally create a desktop shortcut.

Step 5

The installation of the EB Server License Administrator tool is complete.

6.1.1.2. Activating a floating license online



Activating a floating license online

Step 1

Run the EB Server License Administrator tool from the **Start** menu or click the desktop shortcut.

Step 2

Enter an activation code in the **Activation Code** text box.




Figure 6.1. Online server license activation

Step 3

Enter the number of licenses you want to activate. You can activate all ordered licenses on one machine or you can split your licenses to several license servers.

Step 4

Click **Activate**.

Step 5

Verify the license activation in the **Status** section.

Step 6

Restart your license server or re-read the licenses with the license server front end.

Step 7

Your licenses are ready to use on your license server.

6.1.1.3. Activating a floating license offline



Activating a floating license offline

Step 1

Run the EB Server License Administrator tool from the **Start** menu or click the desktop shortcut.

Step 2

Enter an activation code in the **Activation Code** text box.




Figure 6.2. Offline server license activation

Step 3

Enter the number of licenses you want to activate. You can activate all ordered licenses on one machine or you can split your licenses to several license servers.

Step 4

Click **Create Activation Request**

Step 5

Save the activation request file and move it to a machine with internet access.

Step 6

On the machine with internet access, log in to the EB licensing portal.

Step 7

Browse to **Offline License Handling**.




Figure 6.3. Processing the activation request file

Step 8

Click **Browse...** to load your previously created activation request file.

Step 9

Click **Process** to process your offline license activation request and save the activation response file.

Step 10

Move the activation response file to your client machine where you created the activation request.

Step 11

On your client machine, click **Process Activation ...** to load and process the activation response file.

Step 12

Verify the license activation in the **Status** section.

Step 13

Restart your license server or re-read the licenses with the license server front end.

Step 14

Your licenses are ready to use on your license server.

6.1.2. Using floating licenses on a client machine



Activating floating licenses on a client machine

Step 1

Start the application for which you have the license.

Step 2

Configure the server settings in the application with the server name and port number that your license server administrator has provided.

Step 3

Use the application.

6.1.3. Manual setup

If you use floating or dongled licenses on your PC, installing the EB Client License Administrator tool is optional. You can configure the environment variable `EB_LICENSE_FILE` manually with the following values:

- ▶ License server for floating licenses: `EB_LICENSE_FILE=<port>@<your_server_name>`

NOTE



Obtain server name and port number

Contact your license server administrator to obtain the server name and port number used by the FlexNet license server of your company.

-
- ▶ License file for dongled licenses: `EB_LICENSE_FILE=<path_to_your_license_file.lic>`
 - ▶ License directory as an alternative for dongled licenses: `EB_LICENSE_FILE=<path_to_your_license_files>`

NOTE



Combined options

You can combine different options. The license search order depends on the order of the entries provided in the `EB_LICENSE_FILE` environment variable. The entries must be separated by semicolon.

Example: `EB_LICENSE_FILE=C:\EB\Licenses;27000@licsvr.company.com`

7. Dongled licenses

7.1. Using dongled licenses



Usingre dongled licenses

Prerequisite:

- The `WkRuntime.exe` dongle driver is downloaded from EB Command and installed. For more information on EB Command, see [chapter 4, “The licensing project on EB Command”](#). For information on how to install the dongle driver, see [section 7.1.1, “Installing the dongle driver”](#).

Step 1

Generate the license files on the EB licensing portal. For more information, see [section 7.1.2, “Generating license files”](#).

Step 2

Download license files. For more information, see [section 3.4.2, “Accessing your licenses”](#).

Step 3

Start the application.

Step 4

Specify the license file location in the application.

Step 5

Use the application.

7.1.1. Installing the dongle driver



Installing the dongle driver

Step 1

Download the `WkRuntime.exe` dongle driver from EB Command. For more information on EB Command, see [chapter 4, “The licensing project on EB Command”](#).


Optionally download the latest version from Wibu-Systems: <http://www.wibu.com>

Step 2

Execute `WkRuntime.exe`.

7.1.2. Generating license files

You can generate license files within the EB licensing portal. For more information on the EB licensing portal, see [chapter 3, "Using the EB licensing portal"](#).



Step 1

Log in to the EB licensing portal: <https://elektrobit.flexnetoperations.com>

Step 2

Browse to the **Order History** page.

Step 3

Point to the **Actions** button on the right side of the related order line. In the context menu, click **License(s)**.

Step 4

Select an article for which you want to generate licenses. To select all articles, select the **Select All** check box under **Generate**.

Order Number: A_intern_ACG_OS_Safety
Order Date: Jul 15, 2015
PO Number:

Generate
 Select All

Line Number: 1 - EB tresos Studio for ACG 7
Total Number of Licenses: 1

License Applicable to Product(s):
Version Description
017.000000EB tresos Studio for ACG7
1 Available

Line Number: 2 - EB tresos AutoCore OS (Single-Core)
Total Number of Licenses: 1

License Applicable to Product(s):
Version Description
007.003000EB tresos AutoCore OS (Single-Core)
1 Available

Line Number: 3 - EB tresos Safety OS (Single-Core)
Total Number of Licenses: 1

License Applicable to Product(s):
Version Description
007.003000EB tresos Safety OS (Single-Core)
1 Available

Generate

Figure 7.1. Select articles to generate licenses

Step 5

Click **Generate** to browse to the **Generate Licenses** page.

Step 6

On the **Generate Licenses** page, enter the following information:

- ▶ Select **Vendor-defined** as the Node Host ID.
- ▶ Enter the serial number as **WIBU=XX-XXXXXXXX**, for example WIBU=12-12114690
- ▶ Your customer ID is the **Name** of the host, for example 180054
- ▶ Enter the required information in the remaining Host ID fields. You can generate multiple license files on one dongle.

For information on how to retrieve the dongle serial number and customer ID from the WibuKey control panel applet, see [section 7.1.3, "Retrieving dongle serial number and customer ID"](#).

Step 7

Click **Generate** to generate license files based on the provided information.

Version	Description	Number of Licenses Available
017.000000	EB tresos Studio for ACG7	1

Node Host ID: Vendor-defined WIBU=12-12114690
Name: 180054

Version	Description	Number of Licenses Available
007.003000	EB tresos Safety OS (Single-Core)	1

Node Host ID: Vendor-defined WIBU=12-12114690
Name: 180054

Generate

Figure 7.2. Generate licenses

NOTE



Generate multiple dongled licenses

You can create licenses for multiple dongles at once. Enter the dongle IDs and the customer IDs for each dongle on the **Generate Licenses** page.

7.1.3. Retrieving dongle serial number and customer ID

You need your dongle serial number and customer ID to proceed with the license generation.



Retrieving dongle serial number and customer ID

Step 1

Open the WibuKey control panel applet from the Windows Control Panel.

Step 2

Retrieve your dongle serial number - Example: 12-12114690

Step 3

Retrieve your customer ID - Example: 180054




Figure 7.3. WibuKey control panel applet

7.1.4. Downloading license files from the License Information page



Downloading license files from the License Information page

NOTE



Do not save dongled license files on View Licenses

If your dongled license files were generated successfully, **View Licenses** is shown with a **Save All** button. Do not click this button. Instead, download your license files via **License Information**.

Step 1

Browse to the **Order History** page.

Step 2

Click any order number on the left side.

Step 3

On the **Order Detail** page, point to the **Actions** button on the right side of the related order line.

Step 4

In the context menu, click **License(s)**.

Step 5

On the **License Information** page, click **Download** on the bottom to download all dongled licenses. To download a single dongled license, click **Download** on the right.


License Information

Below is the License Information for the Order Line you selected.

Product: ACG7 CAN Stack
Effective Date: Mar 26, 2015
Expiration Date: Jul 15, 2015
Order Number: A215476-LAST TEST Dongle
Order Date: Mar 26, 2015
PO Number: 6041009949
Line Number: 9

Generate

View



The screenshot shows a license information panel with a table of applicable licenses. The table has columns for 'Version' and 'Description'. Below the table, there are fields for 'License Quantity: 1', 'Expiration Date: permanent', and 'Generated By: [User] on Mar 27, 2015'. On the right side of the panel, there are three buttons: 'View', 'Download', and 'Download'. The bottom 'Download' button is highlighted with a red box. At the bottom of the panel, there are three buttons: 'Generate', 'View', and 'Download', with the 'Download' button also highlighted with a red box.

Version	Description
007.003000	ACG7 CAN Stack

11 Available

License Quantity: 1 Expiration Date: permanent View

Vendor-defined: WBU=10-10580431 (180025) Download

Generated By: [User] on Mar 27, 2015 Download

Generate View Download

Figure 7.4. **Download** button

7.1.5. Downloading license files from the Order History page

You can download a single or all license files in a ZIP archive from the **Order History** page. For information on downloading license files, see [section 3.4.2, "Accessing your licenses"](#).

8. Partner licenses for EB tresos Studio

8.1. Overview

Partner licenses are delivered to partner companies of EB that redistribute EB tresos Studio together with their own modules to their customers. Therefore a redistributable license is required. Partner licenses are provided as a set of activation codes. An additional license feature for EB tresos Studio contains the provider-ID which is required to digitally sign the modules developed by the partner.

8.2. Background information

8.2.1. Restrictions for partner licenses

- ▶ The EB tresos Studio *partner license* is provided to the partner to develop and test partner-specific modules. The cryptographic key that is required to sign the partner-specific modules is included in this license.
- ▶ The EB tresos Studio *customer partner license* contains the cryptographic key to unlock the signed partner modules on the partner's customer machine.
- ▶ All allowed modules on the partner's customer machine must be cryptographically signed with the key provided by the partner license.
- ▶ The partner customer can also use a full-featured EB tresos Studio which can be ordered from EB if it is required to use also unsigned modules.

8.2.2. Restrictions for partner customers

- ▶ The EB tresos Studio activation code for a partner license must **not be shipped to the customer**.
- ▶ EB ships a bundle of EB tresos Studio license activation codes for **partner customers** to the partner. The partner ships **one activation code out of this bundle to one customer**.
- ▶ Unsigned modules in the partner's customer installation are not accepted and are deactivated as long as the partner's customer uses the restricted EB tresos Studio version.
- ▶ EB ships a number of evaluation licenses to the partner which can be forwarded to a partner customer to evaluate EB tresos Studio.

8.3. Using partner licenses

8.3.1. Using a partner license as a partner



Using a partner license as a partner

Step 1

Activate the partner license on the partner machine.

Step 2

Develop and test the partner-specific modules.

Step 3

Sign the partner modules with the provider-ID on the command line.

Step 4

Redistribute EB tresos Studio to the customer.

Step 5

Provide one activation code for a partner customer license of EB tresos Studio to your customer.

Step 6

Redistribute the EB Client License Administrator tool to your customer.

8.3.2. Using a partner license as a partner customer



Using a partner license as a partner customer

Step 1

Install EB tresos Studio which you have received from the partner.

Step 2

Install signed modules received from the partner.

Step 3

Activate the partner customer license for EB tresos Studio with the activation code received from the partner.

Step 4

Start working with EB tresos Studio.




Figure 8.1. Partner license workflow

8.4. Retrieving the provider-ID

The provider-ID is contained within a special license feature which is included in the partner license. The provider-ID is encoded as suffix in the `EB_TS_CRYPTO` feature line. It is required to sign modules using the signature tool. The provider-ID is typically the partner's company name or an abbreviation of the partner's company name.



Retrieving the provider-ID

Step 1

If you have a single user license, double-click the EB tresos Studio product for partners in the EB Client License Administrator tool.

Step 2

If you have a floating license, double-click the EB tresos Studio product for partners in the EB Server License Administrator tool.

Step 3

Locate the `EB_TS_CRYPTO` feature and extract your provider-ID from the feature name suffix.

Example: The provider-ID in `EB_TS_CRYPTOyourPartnerCode` is `yourPartnerCode`.




Figure 8.2. The provider-ID in the EB Client License Administrator tool

8.5. Use of the signature tool

EB tresos Studio includes a signature tool which is capable to sign module plug-ins. The signature tool is accessible via the command line of EB tresos Studio. To operate the signature tool, a partner license of EB tresos Studio for must be activated.

For more information on working with the signature tool, see section *How to sign modules with the crypto command* in your EB tresos Studio developer's guide.



8.6. Software redistribution

To operate EB tresos Studio on a partner's customer machine, several components must be shipped to the partner customer:

- ▶ Product licensing user's guide
- ▶ EB Client License Administrator tool
- ▶ A copy of EB tresos Studio for the partner customer
- ▶ Activation code for a partner customer license of EB tresos Studio
- ▶ Signed partner modules

9. Legacy licenses

9.1. Overview

Legacy licenses are dongled and floating licenses which are not covered by the default Flexera license generation process. The following products are affected:

- ▶ EB tresos OSEK
- ▶ EB tresos AutoCore Generic 4 and the corresponding EB tresos Studio release
- ▶ EB tresos AutoCore Generic 6 and the corresponding EB tresos Studio release
- ▶ EB tresos AutoCore Generic 7 and the corresponding EB tresos Studio release, up to 7.2

9.2. Background information

Legacy licenses are distributed through `.lic` license files.

The schema for legacy license files is `tresos_Customer_<customername>_<licensetype>.lic`

- ▶ `<customername>` is your company name
- ▶ `<licensetype>` is either FLOATING or DONGLE

Example for a floating license: `tresos_Customer_Elektrobit_Automotive_GmbH_FLOATING.lic`

Example for a dongled license: `tresos_Customer_Elektrobit_Automotive_GmbH_DONGLE.lic`

9.2.1. Legacy dongled licenses

A legacy dongled license consists of one license file for the client machine.

9.2.2. Legacy floating licenses

A legacy floating license consists of two license files, one for the client machine and one for the floating license server.

9.3. Accessing your legacy licenses

9.3.1. Accessing legacy floating licenses

You receive legacy floating licenses in the EB licensing customer portal either as single `.lic` license file or packed in a `.zip` file.




Figure 9.1. Legacy floating license in a `.lic` file

Welcome, [redacted] | Logout

Order Number: QU218907_ACG6_EVAL
Order Date: Feb 15, 2016
PO Number: Eval

- Software & Services
 - Home
 - Product List
 - Product Search
 - Order History
 - Search Line Items
 - Recent Product Releases
 - Recent Email Notifications
 - Licensing
 - Search Licenses
 - View Licenses By Host
 - Offline License Handling
 - Administration
 - Account Members
 - Change Password
 - Email Preferences
 - Product Preferences
 - Download Preferences
 - Your Profile
 - View Groups
 - Get Help
 - Download Help
 - FAQ
 - Support

Line Number: 1 - ACG6 Memory Stack
Total Number of Licenses: 1
0 Available
License Key: Version: Win32x86

Line Number: 2 - ACG6 RTE
Total Number of Licenses: 1
0 Available
License Key: Version: Win32x86

Line Number: 3 - EB tresos Studio for ACG6
Total Number of Licenses: 1
0 Available
License Key: Version: 14.x

Line Number: 4 - Composite
Total Number of Licenses: 1
0 Available
License Key: COMPOSITE=FB5A6A19647F

Line Number: 5 - LicenseFile
Total Number of Licenses: 1
0 Available
License File: lic-20160315-084150-dlv-QU218907L.zip Download

Figure 9.2. Legacy floating license in a .zip file

9.3.2. Accessing legacy dongled licenses

Legacy dongled licenses are shown in the **Order Detail** view of the **Order History**. Each order with a preceded **x** is a *delivery note* for a legacy dongled license.

Order Detail

Click on the "Download" link next to the product to download it (only available when applicable).

Order Number: ██████████
Order Date: Nov 30, 2015
PO Number: ██████████ ██████████ ██████████

Licenses for this Order

Line	Product Description	Manufacturer Part Number	Qty
+ 1	EB tresos Studio for ACG6	X3910	1
+ 2	Composite	Composite	1
+ 3	ACG6 Base	X4521	1
+ 4	ACG6 Com Services	X4525	1
+ 5	ACG6 Diagnostic Stack	X4531	1
+ 6	ACG6 FlexRay Stack	X4528	1
+ 7	ACG6 Mode Management	X4532	1
+ 8	EB tresos AutoCore OS (Single-Core)	X4001	1
+ 9	LicenseFile	LicenseFile	1
+ 10	LicenseFile	LicenseFile	1

Figure 9.3. Legacy floating license in a .zip file

For more information on the EB licensing customer portal, see [chapter 3, "Using the EB licensing portal"](#).

10. License server configuration

10.1. Overview

This chapter is aimed for network administrators and server administrators. It provides information on how to use and configure a FlexNet Imadmin license server.

The following components are mandatory to configure a FlexNet license server:

- ▶ The FlexNet Imadmin license server package is installed as service on the server machine and listens on the Imadmin default port number 8090. For more information on the FlexNet Imadmin license server, see the FlexNet Publisher License Administration Guide.
- ▶ The EB Server License Administrator tool is installed in the default directory, see [section 6.1.1.1, “Installing the EB Server License Administrator tool”](#).
- ▶ Floating licenses are activated on the server machine, see [section 6.1.1.2, “Activating a floating license online”](#) and [section 6.1.1.3, “Activating a floating license offline”](#).
- ▶ The `EB_FLOATING_SERVER.lic` license file which is available on EB Command was downloaded and copied to `C:\EB\EB_Server_License_Administrator\licenses`.
- ▶ After installing the EB Server License Administrator tool, the EB vendor daemon executable file is located in `<installfolder>\<platform>\EB.exe`.

Example: `C:\EB\EB_Server_License_Administrator\x64\EB.exe`

10.2. Background information

10.2.1. EB vendor daemon

- ▶ The EB vendor daemon is only available for Microsoft Windows operating systems.
- ▶ The EB vendor daemon is available as 32-bit and 64-bit version. Depending on your operating system, install either the 32-bit or the 64-bit Imadmin license server and use the suitable EB vendor daemon.

10.3. Transferring floating licenses from Imgrd to Imadmin

If you have older licenses from Imgrd, follow the instructions to transfer the licenses to Imadmin.



Transferring floating licenses from Imgrd to Imadmin

Step 1

Shutdown the Imgrd service.

Step 2

Copy all licenses from your previous license file to the `EB_FLOATING_SERVER.lic`.

Your older licenses are now managed by the Imadmin server.

10.4. Logging in to the license server



Logging in to the license server

Prerequisite:

- The Imadmin license server package is installed.
- The *EB Server License Administrator* tool is installed, see [section 6.1.1.1, “Installing the EB Server License Administrator tool”](#).
- Floating licenses are activated on the server machine, see [section 6.1.1.2, “Activating a floating license online”](#) and [section 6.1.1.3, “Activating a floating license offline”](#).
- `EB_FLOATING_SERVER.lic` license file is copied to `C:\EB\EB_Server_License_Administrator\licenses`.

Step 1

In your favorite browser, browse to `localhost:8090`.

Step 2

Click the **Administration** button to browse to the administration page.




Figure 10.1. Imadmin login

Step 3

Log in to the server as user `admin`.

Step 4

The default password for the admin user is `admin`.

NOTE



Password change

Upon your first login to the administration page you are prompted to change the default password.

10.5. Importing a license file



Importing a license file

Step 1

Click **Vendor Daemon Configuration** to browse to the **Vendor Daemons** page.




Figure 10.2. The **Vendor Daemons** page

Step 2

Click **Import License**.

Step 3

Click **Browse** and select the `EB_FLOATING_SERVER.lic` license file which you have downloaded from the EB Command portal. The default location is `C:\EB\EB_Server_License_Administrator\licenses`.




Figure 10.3. Importing a license file

Step 4

Click **Import License** to import the selected license file.

NOTE



Overwrite license file

If you import the license file for the first time, do not select the **Overwrite License File on License Server** option. Otherwise, select the check box.

10.6. Verifying the license file import



Verifying the license file import

Step 1

Check that the license file import was successful in the **Import Information** section.




Figure 10.4. License file import information

Step 2

If the path to the EB vendor daemon is not yet configured, ignore the vendor daemon error messages in the **Import Errors** and **Import Warnings**. For information on configuring the EB vendor daemon, see [section 10.7, "Configuring the EB vendor daemon"](#).

Step 3

Click **OK**.

Step 4

On the **Vendor Daemons** page, point to the vendor daemon line with the **Stopped** status and click the highlighted line to browse to the EB vendor daemon configuration page.




Figure 10.5. The Vendor Daemons page

10.7. Configuring the EB vendor daemon



Configuring the EB vendor daemon

Step 1

In the text box **Vendor Daemon Location**, enter the path to the EB vendor daemon file `EB.exe`.




Figure 10.6. Vendor daemon configuration

NOTE



32-bit or 64-bit version of the EB vendor daemon

Choose the appropriate platform depending on your lmadm license server version.

Step 2

Select the **Enable Date-based Versions** check box. It is very important to check this check box because the end date of the license subscription is coded into the license version.

Step 3

Click **Save** to save your EB vendor daemon configuration.

Step 4

A message indicates that the EB vendor daemon configuration was successfully updated. Click **Start** to start the EB vendor daemon.




Figure 10.7. Successful EB vendor daemon configuration

10.8. Verifying the EB vendor daemon



Verifying the EB vendor daemon

Step 1

The Imadmin initiates the EB vendor daemon startup with the message **Starting vendor daemon: EB.**




Figure 10.8. The **Vendor Daemons** page

Step 2

The status **Starting up** is shown.

Step 3

Wait a few seconds and click **Vendor Daemon Configuration** to refresh the page.

Step 4

The status **Up** indicates that the EB vendor daemon is active.



Figure 10.9. Active EB vendor daemon

10.9. Verifying your licenses



Verifying your licenses

Step 1

Click **Dashboard** to browse to the FlexNet Publisher license server dashboard.




Figure 10.10. Verify licenses

Step 2

Click **Concurrent**.

Step 3

The EB_TEST_SERVER license feature is available.

NOTE



All activated licenses are shown

This page shows all your activated licenses available on your server machine.

NOTE



Activating floating licenses at the license server

For instructions on how to activate a floating license, see [chapter 6, "Floating licenses"](#).